



BÜCE

Motorized all-purpose backwash unit

Instruction Manual

BUCE 370 / BUCE 370F



Model Name	BUCE 370, BUCE 370F
Weight	Seat part 65Kg Bowl Stand 32Kg
Dimension	1930 * 640 * 890(H) 1580 * 640 * 890(H)
Rated Power Consumption	160W~250W
Rated Voltage / Frequency	AC100~115V / 220~240V 50~60HZ
Load Rating	MAX 150Kg

Thank you for purchasing BÜCE Backwash units.

For correct install and use, please read this instruction manual and warranty carefully before install and use.

Or it may cause the equipment to malfunction and shorten life time of the product.

Please contact your authorized dealer if you have any query on this the product in use.

Since installation work requires specialized skills, it must be installed at an installation specialist.

Problems arising from the installation work are the responsibility of the installer, in which case no free service is provided.


Routine Check

- If you notice strange sounds, smells or smoke coming from the product, disconnect the power plug or turn off the main power switch immediately. It may cause electric shock or fire.
- Always remove moisture and chemicals after use, and clean the seat regularly with leather cleaner for longer last.
- Remove dirt and hairs from the filter net regularly to avoid flowing backwards from drainage hole caused by clogged.
- Dry the neck cushion regularly and it will help it last longer.
- Always secure the shower head back into the holder after using it. Water may fall on the floor along the shower hose.
- Always keep the shampoo room area clean after using and it will help it last longer.

Safety Precautions


- Make sure the rated voltage is correct before use, failing to do so may cause failure or damage to parts.
- Do not subject the product to strong impacts or parts of the product may be damaged.
- Do not disassemble or modify the product on your own.
In the event of product failure, contact your dealer or manufacturer.
- Keep clean the product when using it
Failing to do so may cause a failure and shorten the life of the parts.
- Since the product is heavy, please be sure to have at least two people together when unpacking, lifting, or moving it.
Products can be damaged and people may be injured due to excessive work.
- Do not let children near the product during the procedure.
Failing to do so may lead to unexpected accidents.

Name of each part




- | | |
|------------------------|----------------------------------|
| 1 Seat Part | 6 Shampoo Bowl Stand |
| 2 Power Plug | 7 Shampoo Bowl Stand Base |
| 3 Ceramic Basin | 8 Up/Down Switch |
| 4 Showerhead | 9 Head Cushion |
| 5 Faucet | |


10 Fastening Bolts



11 Water Stopper




12 Head & Neck Cushion



* Bolts needed for assembly are fastened on the product or packed in the package.


Shampoo Bowl Stand Base Assembly

01




Prepare the packaged product.

02




Unscrew bolts from Shampoo bowl stand base.

03




Position the Bowl Stand Base and the Seat Part to fit the water supply & drainage location.

04



Assemble Bowl stand base and Seat part with bolts.


05



Completed


Shampoo Bowl Stand Assembly

01




Unscrew and open the rear cover of Shampoo Bowl Stand.

02




Unscrew the Shampoo Bowl Stand fixing bolts.

03




Connect the water supply and drainage after bolting the Shampoo Bowl Stand to the Base.

04





Assemble the rear cover of Shampoo Bowl Stand.

05




Completed

How to Install the Water Supply & Drain Pipe





- Installation requires specialized skills, so you need the help of an installer or Authorized Dealer.
- Check the location of the water supply & drain pipe before installation.
- An intermediate valve must be installed in the hot and cold water supply pipeline.
- Before connecting the water supply, use a hose to drain water through the drain pipe for more than 1 minute to remove debris such as sands,
- Make sure the cold water (blue color) and hot water (red color) correctly before connecting.
- To prevent odor from drainage hole, drain hose is required to be in a way of U-trap.
- The connection between the drainage hole and the drain pipe should be sealed to prevent odor.
- Connect the water supply & drain pipe and let the water run for more than 1 minute to see if water is leaking.
- Check if water pressure is effected when sink, toilet, etc. is being used.

Installation Method (Fixing to the Floor)




- Make sure that the floor of the installation i is suitable for fixing.
- Anchor the bottom of the Seat Part and the Shampoo Bowl Stand base connection Part to fix On floor firmly.
- Apply silicone to the bottom and sides of the Shampoo Bowl Stand Base to fix it.
- It is recommended to use the product no sooner than 1 day after installation.

Installation Diagram



Water Supply & Drain Pipe
/ Power Supply



Product Warranty

Product Name	Motorized all-purpose backwash unit
Model Name	
Place of purchase	
Purchase date	
Serial No.	
Warranty period	Refer to warranty period

Warranty contents

One year from the date of purchase under the normal use.

Consumables standard

- * Consumables are parts that are expected to wear, change in appearance, or be damaged as they are used.
(Shower head, shower hose, faucet, neck cushion, head cushion, filter net, water stopper and so on)
- * Please note that consumables are not covered by the warranty.
(The degree of wear and the time of breakage vary depending on the environment and conditions of use.)

Paid service

When applying for service, charges will apply in the following cases within the free period.

- * In case the product is damaged or deformed due to impact caused by moving or falling after purchase.
- * In case of user's carelessness or unauthorized structure change
- * In case a failure occurs due to natural disasters (fire, water flood, earthquake)

Beauty **U**tility by **C**reative **E**xpert

www.bdkorea.com



BD KOREA Co., Ltd.

20, Seounsandan-ro 8-gil, Gyeyang-gu, Incheon, Korea

Tel : +82-32-676-2407 Fax : +82-32-675-8497 E-mail : bdkorea21@naver.com